LIFE INSURANCE CORPORATION OF INDIA SOUTHERN ZONAL OFFICE <u>CHENNAI</u>

TENDER FOR SUPPLYING AND FIXING OF BACK LIT LED MODULE WRAP UP SIGNAGE BOARDS

IN VARIOUS BUILDINGS OF LIC SOUTHERN ZONE IN CHENNAL

Annexure II

FINANCIAL BID

S No	Work Reference Number	No of Back Lit LED Module Boards		Cost of Manufacturing, Fixing including Transport and Trouble Free Maintenance for Five Years (A)	GST @ 18% on A	Scrap Value of Old Board (wherever applicable) (B)	GST on Buy Back Value	Net Cost of Installation (A-B)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
I	SZ/2024/101	6	568					
п	SZ/2024/102	6	496					
ш	SZ/2024/103	7	692					
IV	SZ/2024/104	4	544					
v	SZ/2024/105	3	320					
vi	SZ/2024/106	3	486					
	TOTAL	29	3106					
	TOTAL RUPEES IN WORDS							

* If there is any discrepancy in rates quoted in figure and words, the rates quoted in words only will be taken into consideration. The measurements mentioned in the annexed individual pages containing the size of the boards to be installed have to be read carefully before quoting the rates. Lowest bidder will be determined as per column (9)

This is to certify that I/We, before signing this tender, have read and fully understood all the terms and conditions contained herein and as in Annexure I, and undertake to abide by the same.

Date:

Signature of the Vendor with seal

Name Designation Address:

S NO	SCOPE OF WORK
1	Location: Bombay Mutual Building, 232, NSC Bose Road, Chennai 600001 (Opp to High Court)
	Nature of Work: Removal of exising Wrap Up Boards fixed on the top Portion of the building and
	replacing the boards with the Backlit LED Module Wrapup Signage Boards SIZE 28.5 FT X 4 FT - 2 NOS,
2	29 FT X 4 FT - 2 NOS, 15 FT X 4 FT - One No (RHS) , 12 FT X 4 FT - One No (LHS). TOTAL 568 FT

SPECIFICATIONS FOR BACK LIT LED MODULE SIGNAGE BOARD

1	Frame	25mmx25mm MS CRC Square tube 6inch depth Box Frame painted with 2 coats of anti rust redoxide and 2 coats of white enamel paint. 0.8mm precoated sheet for the rear side and four sides covered by 0.5mm Powder Coated Aluminium Sheet.
		Osram LED 3 Modules with Osram Power supply,
2	Electrical	Warranty : 5 years warranty will be offered for entire sign board. For Fascia and LED OEM warranty Certificate to be issued.
3	Power Supply	ADS brand Rain proof Power supply with weather proof box Box.
4	Wiring	1.1 KV grade 2.5 square mm FRLS multi strand copper wire used in letters and main supply line 4.0 square mm FRLS multi strand copper wire , with 2mm heavy pipe PVC & PVC Vinyil hose etc
		Wires : Havells/RR Kable/V guard/KEI.
5	PVC Pipe	Precision / Avon plast/Sudhagar/AKG.
6	Switch	Main control panel DB box of MCB along with suitable power rating ELCB & MCB with auto eletronic timer of Legrand / L&T /make.
7	Light Source	Water proof SMD LED 3 dot Module lights (LETTERS), 120 degree with concealed lighting behind the letters in White LED Modules of crompton/ bajaj/orient/ Philips/Osram with 5 years warranty. For 1 sft 5 LED modules to be used.
8	Fascia :	3M 3630 vinyl 90 microns with stencil cut warranty 5 years Translucent Graphic Film plotted and pasted on 3M Panagraphics III Backlit Flex
9	Timer	Supply & fixing of 24 hours on line Electronic Timer with On/Off 2 set of approved make with power contractor, MCB etc with suitable powder coated water proof box nearby LIC power supply point. Make: L&T/Legrand/Siemens

S NO	SCOPE OF WORK
1	Location: United India Building, 108, Esplanade, Chennai (Near High Court)
	Nature of Work: Removal of exising Wrap Up Boards fixed on the top Portion of the building
	and replacing the boards with the Backlit LED Module Wrapup Signage Boards . SIZE 20 FT X 4
2	FT - 2 NOS, 14 FT X 4 FT - 2 NOS, 28 FT X 4 FT - 2 NOS. TOTAL 496 FT

SPECIFICATIONS FOR BACK LIT LED MODULE SIGNAGE BOARD

1	Frame	25mmx25mm MS CRC Square tube 6inch depth Box Frame painted with 2 coats of anti rust redoxide and 2 coats of white enamel paint. 0.8mm precoated sheet for the rear side and four sides covered by 0.5mm Powder Coated Aluminium Sheet.
		Osram LED 3 Modules with Osram Power supply,
2	Electrical	Warranty : 5 years warranty will be offered for entire sign board. For Fascia and LED OEM warranty Certificate to be issued.
3	Power Supply	ADS brand Rain proof Power supply with weather proof box Box.
4	Wiring	1.1 KV grade 2.5 square mm FRLS multi strand copper wire used in letters and main supply line 4.0 square mm FRLS multi strand copper wire , with 2mm heavy pipe PVC & PVC Vinyil hose etc
		Wires : Havells/RR Kable/V guard/KEI.
5	PVC Pipe	Precision / Avon plast/Sudhagar/AKG.
6	Switch	Main control panel DB box of MCB along with suitable power rating ELCB & MCB with auto eletronic timer of Legrand / L&T /make.
7	Light Source	Water proof SMD LED 3 dot Module lights (LETTERS), 120 degree with concealed lighting behind the letters in White LED Modules of crompton/ bajaj/orient/ Philips/Osram with 5 years warranty. For 1 sft 5 LED modules to be used.
8	Fascia :	3M 3630 vinyl 90 microns with stencil cut warranty 5 years Translucent Graphic Film plotted and pasted on 3M Panagraphics III Backlit Flex
9	Timer	Supply & fixing of 24 hours on line Electronic Timer with On/Off 2 set of approved make with power contractor, MCB etc with suitable powder coated water proof box nearby LIC power supply point. Make: I&T/Legrand/Siemens

S NO	SCOPE OF WORK
1	Location: Midland Insurane Building, Anna Salai, Opp to Teynampet HPO, Chennai 6000018.
	Nature of Work: Removal of exising Wrap Up Boards fixed on the top Portion of the building and
	replacing the boards with the Backlit LED Module Wrapup Signage Boards . Size 29 ft X 4 ft -
2	FOUR NOS,51 ft X 4 ft - One No, 3 FT X 4 FT - TWO NOS. TOTAL 692 FT

SPECIFICATIONS FOR BACK LIT LED MODULE SIGNAGE BOARD

1	Frame	25mmx25mm MS CRC Square tube 6inch depth Box Frame painted with 2 coats of anti rust redoxide and 2 coats of white enamel paint. 0.8mm precoated sheet for the rear side and four sides covered by 0.5mm Powder Coated Aluminium Sheet.
		Osram LED 3 Modules with Osram Power supply,
2	Electrical	Warranty : 5 years warranty will be offered for entire sign board. For Fascia and LED OEM warranty Certificate to be issued.
3	Power Supply	ADS brand Rain proof Power supply with weather proof box Box.
4	Wiring	1.1 KV grade 2.5 square mm FRLS multi strand copper wire used in letters and main supply line 4.0 square mm FRLS multi strand copper wire , with 2mm heavy pipe PVC & PVC Vinyil hose etc
		Wires : Havells/RR Kable/V guard/KEI.
5	PVC Pipe	Precision / Avon plast/Sudhagar/AKG.
6	Switch	Main control panel DB box of MCB along with suitable power rating ELCB & MCB with auto eletronic timer of Legrand / L&T /make.
7	Light Source	Water proof SMD LED 3 dot Module lights (LETTERS), 120 degree with concealed lighting behind the letters in White LED Modules of crompton/ bajaj/orient/ Philips/Osram with 5 years warranty. For 1 sft 5 LED modules to be used.
8	Fascia :	3M 3630 vinyl 90 microns with stencil cut warranty 5 years Translucent Graphic Film plotted and pasted on 3M Panagraphics III Backlit Flex
9	Timer	Supply & fixing of 24 hours on line Electronic Timer with On/Off 2 set of approved make with power contractor, MCB etc with suitable powder coated water proof box nearby LIC power supply point. Make: L&T/Legrand/Siemens

S NO	SCOPE OF WORK
1	Location: Premier Life Building, GN Chetty Road, T. Nagar, Chennai
	Nature of Work: Removal of exising Wrap Up Boards fixed on the top Portion of the
	building and replacing the boards with the Backlit LED Module Wrapup Signage Boards . SIZE 12 FT x 4 FT - One No, 97 FT X 4 FT - One No, 24 FT X 4 FT - One No, 3 FT X 4 FT - One
2	No. TOTAL 544 FT

		25mmx25mm MS CRC Square tube 6inch depth Box Frame
1	Frame	painted with 2 coats of anti rust redoxide and 2 coats of
	Frame	white enamel paint. 0.8mm precoated sheet for the rear side
		and four sides covered by 0.5mm Powder Coated Aluminium
		Sheet. Osram LED 3 Modules with Osram Power supply,
		Warranty : 5 years warranty will be offered for entire sign
2	Electrical	board. For Fascia and LED OEM warranty Certificate to be
		issued.
3	Power Supply	ADS brand Rain proof Power supply with weather proof box Box.
		1.1 KV grade 2.5 square mm FRLS multi strand copper wire
		used in letters and main supply line 4.0 square mm FRLS
4	Wiring	multi strand copper wire , with 2mm heavy pipe PVC & PVC
		Vinyil hose etc
		Wires : Havells/RR Kable/V guard/KEI.
5	PVC Pipe	Precision / Avon plast/Sudhagar/AKG.
		Main control panel DB box of MCB along with suitable
6	Switch	power rating ELCB & MCB with auto eletronic timer of
		Legrand / L&T /make.
		Water proof SMD LED 3 dot Module lights (LETTERS), 120
7	Linht Course	degree with concealed lighting behind the letters in White
7	Light Source	LED Modules of crompton/ bajaj/orient/ Philips/Osram with
		5 years warranty. For 1 sft 5 LED modules to be used.
		2M 2620 view 00 microne with stancil out warranty 5 warrant
8	Fascia :	3M 3630 vinyl 90 microns with stencil cut warranty 5 years Translucent Graphic Film plotted and pasted on 3M
°	rascia :	Panagraphics III Backlit Flex
		Supply & fixing of 24 hours on line Electronic Timer with
		On/Off 2 set of approved make with power contractor, MCB
9	Timer	etc with suitable powder coated water proof box nearby LIC
		power supply point. Make:
		L&T/Legrand/Siemens
		1

SPECIFICATIONS FOR BACK LIT LED MODULE SIGNAGE BOARD

S NO	SCOPE OF WORK
1	Location: South India Coop Building, 38, Anna Salai, Chennai
	Nature of Work: Removal of exising Wrap Up Boards fixed on the top Portion of the building and replacing the boards with the Backlit LED Module Wrapup Signage Boards SIZE (15 FT X 4 FT - 2 NOS), 50 FT x 4 FT - 1 NO TOTAL 320 FT

SPECIFICATIONS FOR BACK LIT LED MODULE SIGNAGE BOARD

1	Frame	25mmx25mm MS CRC Square tube 6inch depth Box Frame painted with 2 coats of anti rust redoxide and 2 coats of white enamel paint. 0.8mm precoated sheet for the rear side and four sides covered by 0.5mm Powder Coated Aluminium Sheet.
		Osram LED 3 Modules with Osram Power supply,
2	Electrical	Warranty : 5 years warranty will be offered for entire sign board. For Fascia and LED OEM warranty Certificate to be issued.
3	Power Supply	ADS brand Rain proof Power supply with weather proof box Box.
4	Wiring	1.1 KV grade 2.5 square mm FRLS multi strand copper wire used in letters and main supply line 4.0 square mm FRLS multi strand copper wire , with 2mm heavy pipe PVC & PVC Vinyil hose etc
		Wires : Havells/RR Kable/V guard/KEI.
5	PVC Pipe	Precision / Avon plast/Sudhagar/AKG.
6	Switch	Main control panel DB box of MCB along with suitable power rating ELCB & MCB with auto eletronic timer of Legrand / L&T /make.
7	Light Source	Water proof SMD LED 3 dot Module lights (LETTERS), 120 degree with concealed lighting behind the letters in White LED Modules of crompton/ bajaj/orient/ Philips/Osram with 5 years warranty. For 1 sft 5 LED modules to be used.
8	Fascia :	3M 3630 vinyl 90 microns with stencil cut warranty 5 years Translucent Graphic Film plotted and pasted on 3M Panagraphics III Backlit Flex
9	Timer	Supply & fixing of 24 hours on line Electronic Timer with On/Off 2 set of approved make with power contractor, MCB etc with suitable powder coated water proof box nearby LIC power supply point. Make: L&T/Legrand/Siemens

S NO	SCOPE OF WORK		
	Location: Jeevan Pallava Building, 145, Thiruvottiyur High Road, Tondiarpet, Chennai 600081		
1	(Near Tondiarpet Bus Depot)		
	Nature of Work: Affixing Backlit LED Module Wrapup Signage Boards on the Terrace Facade of		
	the Building SIZE (48 FT x 6 FT) - One No on Front Terrace, 28 FT x 3 FT One No on Front Terrace,		
2	38 ft X 3 ft - Side terrace (Side Facing New Washermenpet Metro Station) TOTAL 486 FT		

SPECIFICATIONS FOR BACK LIT LED MODULE SIGNAGE BOARD

1	Frame	25mmx25mm MS CRC Square tube 6inch depth Box Frame painted with 2 coats of anti rust redoxide and 2 coats of white enamel paint. 0.8mm precoated sheet for the rear side and four sides covered by 0.5mm Powder Coated Aluminium Sheet.
		Osram LED 3 Modules with Osram Power supply,
2	Electrical	Warranty : 5 years warranty will be offered for entire sign board. For Fascia and LED OEM warranty Certificate to be issued.
3	Power Supply	ADS brand Rain proof Power supply with weather proof box Box.
4	Wiring	1.1 KV grade 2.5 square mm FRLS multi strand copper wire used in letters and main supply line 4.0 square mm FRLS multi strand copper wire , with 2mm heavy pipe PVC & PVC Vinyil hose etc
		Wires : Havells/RR Kable/V guard/KEI.
5	PVC Pipe	Precision / Avon plast/Sudhagar/AKG.
6	Switch	Main control panel DB box of MCB along with suitable power rating ELCB & MCB with auto eletronic timer of Legrand / L&T /make.
7	Light Source	Water proof SMD LED 3 dot Module lights (LETTERS), 120 degree with concealed lighting behind the letters in White LED Modules of crompton/ bajaj/orient/ Philips/Osram with 5 years warranty. For 1 sft 5 LED modules to be used.
8	Fascia :	3M 3630 vinyl 90 microns with stencil cut warranty 5 years Translucent Graphic Film plotted and pasted on 3M Panagraphics III Backlit Flex
9	Timer	Supply & fixing of 24 hours on line Electronic Timer with On/Off 2 set of approved make with power contractor, MCB etc with suitable powder coated water proof box nearby LIC power supply point. Make: