

CORRIGENDUM – III : RFP for Procurement and Implementation of Change Data Capture (CDC) and Extract Transform Load (ETL) Solution

Ref: LIC/CO/IT-SD/EFEAP-NEXT/CDC-ETL/24-25/02 Dated: 01/08/2024

Date: 27/09/2024

CORRIGENDUM – III

Following modifications are being issued under the above referred RFP. The bidders to note that these responses/clarifications shall form an integral part of the above referred RFP and resulting contracts, if any:

S.no	Clause ref.	Clause (in brief) of RFP requiring clarification (s)	Change Reason	LIC Clarification/ modification in clause												
1	Annexure-22 Activity Schedule		Addition	Commercial Bid Submission End date/time: 01/10/2024 up to 02.30 PM (Upload of Documents on the e-Tender Platform)												
2	Annexure-22 Activity Schedule	Commercial Bid opening date/time/: To be notified to the Shortlisted bidders.	Modification	Commercial Bid opening date/time/: 01/10/2024 03:00 PM. The Bids will be opened at the e-Tendering portal by LIC in virtual presence of the bidders’ representatives who have submitted the bid and email request is received from the bidders at least one day prior to bid opening date.												
3	4.3.2. Data Architecture and infrastructure		Addition	8(i). For License requirements, following additional requirement of Servers and Cores to be provisioned (In addition to already provided Details) for source systems→ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Slno</th> <th>Total No of Servers</th> <th>Total No of Cores</th> <th>Production/DR</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>10</td> <td>100</td> <td>Production</td> </tr> <tr> <td>2.</td> <td>10</td> <td>100</td> <td>DR</td> </tr> </tbody> </table>	Slno	Total No of Servers	Total No of Cores	Production/DR	1.	10	100	Production	2.	10	100	DR
Slno	Total No of Servers	Total No of Cores	Production/DR													
1.	10	100	Production													
2.	10	100	DR													
4	4.3.2. Data Architecture		Addition	8(ii). For License requirements following additional requirement of Servers and Cores to be provisioned (In												

	and infrastructure			addition to already provided Details) for one additional target system→												
				<table border="1"> <thead> <tr> <th>Slno</th> <th>No of Servers</th> <th>No of Cores</th> <th>Production/DR</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>1</td> <td>24</td> <td>Production</td> </tr> <tr> <td>2.</td> <td>1</td> <td>24</td> <td>DR</td> </tr> </tbody> </table>	Slno	No of Servers	No of Cores	Production/DR	1.	1	24	Production	2.	1	24	DR
Slno	No of Servers	No of Cores	Production/DR													
1.	1	24	Production													
2.	1	24	DR													
5	4.3.2. Data Architecture and infrastructure	4. Target Operational, Reporting and Analytical systems d. Upcoming IFRS 17/IND-AS system	Clarification	As already mentioned in RFP, IFRS 17/IND-AS system will be a separate target system, which will be part of scope for implementation as well as licensing.												
6	4.3.3. Proposed Infrastructure Requirements	The proposed solution should be integrated with other security/infrastructure solutions implemented in LIC. Example of such implementations includes LIC's SIEM tool, PAM tool and others. Complete details of all integrations required will be discussed and shared with successful bidder.	Clarification	The PAM Solution currently being used in LIC is IRAJE PAM Solution.												
7	4.3.5. Staging Area/ Landing Zone		Clarification	It will be the responsibility of bidder to design, setup, create and maintain staging area for the source data. Bidder in consultation with OEM is to plan and design the architecture and sizing of staging area considering the architecture of source databases and requirements of target databases.												
8	4.3.7 Software Licensing	6. As per the future requirements of the software/tool, LIC may purchase quoted/ additional licenses/subscriptions of the software/tools as and when required during project period on the same quoted rates throughout the contract period.	Clarification	Calculation Matrix /Unit Price: The bidder needs to provide the Calculation matrix as part of the Commercial annexure separately so that incremental unit price of each proposed software component can be derived for any additional licenses/subscriptions for future use.												

9	4.3.7 Software Licensing		Addition	10. The bidders must ensure that the licenses required for the solution for the systems mentioned in RFP are adequate and any shortfall would have to be made good without any cost implication to LIC.
10	Optimisation of Hardware Sizing		Clarification	The bidders to propose the optimum hardware sizing for the solution. Submit revised hardware sizing (Annexure-10) taking all details into consideration.
11	Annexure-18 Commercial Annexure	Commercial_Annexure18CDCETL.xls	Modification	Commercial_Annexure18CDCETL_V2.xls

EXECUTIVE DIRECTOR (IT/Digital Transformation)