

S.No	RFP Document Reference(s) (Section & Page Number)	Clause (in brief) of RFP requiring clarification(s)	Brief details/ Query in reference to the clause	Response
1	Section-B: ELIGIBILITY CRITERIA Minimum Eligibility Criteria (MEC) : Page 7 of 47	Bidder should have made profit (before tax) in the last three financial years preceding the date of this RFP. Details to be submitted in Annexure-II and attested copies of Audited Balance Sheet and Profit and Loss account for the relevant years, duly signed by Authorized signatory of the Company along with Name and Seal. Rs. in Crores with 3 decimals.	We request LIC to amend the clause as follows : Please consider bidder should have made profit (before tax) at least two financial year from latest past three years or Please consider bidder should have made profit (before tax) at least three financial year from latest past Five years.	Please be guided by the RFP
2	10. Instructions for Bid Submission Page 10 of 47	The bidder should not respond to this RFP / quote for this requirement in consortium with any other partner. All such consortium bids will be summarily rejected.	Please allow the same.	Please be guided by the RFP
3	Section-B: ELIGIBILITY CRITERIA Minimum Eligibility Criteria (MEC) : Page 7 of 47	Bidder must have supplied, integrated and supported at least three clients globally/India for Board Room Audio Video Solution which should contain delivery and installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness . Out of these, at least two orders should be of values greater than INR 1.5 crores for Board Room AV Solution including installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness.	Please allow the same to 70 inches in place of 130 inches	Please be guided by the RFP

4	10. Instructions for Bid Submission & Page no. 11	The technical specifications sheets and commercial-bid format/sheet in the spreadsheets will be password protected by LIC. The password used on the spread sheets will be validated by LIC for checking the authenticity of the file. If the password does not match, EMD OR A PART THEREOF MAY BEFORFEITED and BID MAY BE REJECTED.	Bidder request LIC to share brief on the commercial bid format as we are unable to understand the format in which bid prices needs to be submitted. Brief in terms of password mgmt. (If LIC will provide this), the filling of bid format etc.	Please refer to the revised commercial format . Some of the cells which were protected earlier have been unprotected
5	10. Instructions for Bid Submission & Page no. 11	It may be carefully noted by all the participating bidders that it is likely if the password protected sheet is opened in any another software for e.g. open office, the password protected sheet may lose the password. Therefore care has to be taken to open the spreadsheet only in an application for e.g. MS Excel where it will not lose its password when edited. It may also be informed that the softcopy of the Technical and Commercial bids provided in the CD/DVD will be checked at the time of opening of the Technical and Commercial bids. In case the spreadsheet is submitted to LIC without the password protection or with password that does not match, the BID MAY BE REJECTED.	Request LIC to share a process document on how to fill and submit the commercial bid document	Please be guided by the RFP
6	12. Commercial Bid (Indicative Price) & Page no. 12	The Bidder should have the capability to implement and maintain the project during the contract period of 5 years. The vendor should also be able to carry out any changes, if necessitated by LIC during the contract period of 5 years.	Any additional requirement apart from initial solution will be based on feasibility and extra cost will be levied for the changes	Please be guided by the RFP and the clarification issued in this regard in the corrigendum
7	17. Bid Validity Period and Page no. 12	Bids shall remain valid for 1 year from the date of submission of bids	Request LIC to relax on bid validity period from 1 year to 90 days as no OEM offers price validity till 1 year.	Please be guided by the RFP

8	23. Commercial Bid Evaluation process and Page no. 13	NPV Rule: While evaluating the tenders covering a longer period (i.e. more than one year), the quoted prices pertaining to maintenance in future years are to be discounted to the net present value (NPV) as appropriate for comparing the tenders on equitable basis. The Net Present Value of the proposal is equal to the sum of the present values of all the cash flows associated with it. NPV is to be calculated on the annual cash outflows. Discounting rate to be used: 10% Standard software for example „Excel“ can be used for the NPV computation. An indicative template is also provided purely for facilitating the bidder. Bidders must ensure the accuracy of the computation at their end for the calculations. The template provided is a facilitator only for the computation and the bidder is responsible for the computation as per the guidelines. $r = 10\%$ i.e. 0.10	Request LIC to brief as LIC has requested to share the Price as NPV in Online RA	Please refer to the revised commercial format . Please be guided by the RFP
9	Price Variation Factor and H1 Elimination clause	When the number of Technically Qualified Bidders are more than five, the technically qualified H1 bidder (Bidder with the Highest Quoted Total Bid Price at NPV) will be disqualified and eliminated from participating in online reverse auction, if his bid value as per the submitted commercial bid (indicative) is higher by more than 40% as compared to the average of quoted prices of all technically qualified bidders for all items in aggregate	Request LIC to brief on this clause	Please be guided by the RFP
10	26. Right to terminate the Process and Page no. 15	LIC may cancel any procurement under this RFP at any time without assigning any reasons whatsoever. Decision of LIC will be final in this matter	For any termination after PO, ETC will be levied to LIC for remaining contract period.	Please be guided by the RFP

11	10) Limitation of liability and Page no. 18	Except in cases of criminal negligence or willful misconduct and in case of infringement of intellectual property rights, both parties shall not be liable, whether in contract, tort or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of supplier/vendor to pay liquidated damages to the Corporation and the aggregate liability of both the parties whether under the Contract, in tort or otherwise, shall not exceed the total Contract price with LIC under this Contract provided that this limitation shall not apply to the cost of repairing or replacing defective equipment	Liability to be restricted to Annual contract value	Please be guided by the RFP
12	1.8 Acceptance by LIC and Page no. 24	The solution will be considered to have been commissioned when all services as described in this tender document are able to run smoothly over the network. Mere installation of appliances/equipments with out-of-the box features will not be considered as commissioning of the proposed solution.	The payment should be released for installed devices after successful testing instead of whole project delivery.	Please be guided by the RFP
13	Service-Delivery and Project Management and Page no. 25	The selected vendor will have to post an onsite Service-Delivery Manager (SDM) immediately after the signing of the Contract. The details of the SDM should be conveyed in writing to LIC within 1 week of receipt of purchase order	Whether SDM is required for service and project management or L1 or L2 support personnel is required. LIC to confirm if all is required	Please be guided by the RFP
14	Section-G: Service Level Agreement (SLA)	0.2 % of the total PO value per day from the 57th day till the date of installation/integration subject to a maximum of 10% of the PO value.	Maximum penalty to be capped at 5 % of PO value	Please refer to the revised SLAs
15	Section-G: Service Level Agreement (SLA)	If the on-site Personnel leaves before expiry of 1 year for reasons other than death and hospitalisation.	Request LIC to remove this clause	Please be guided by the RFP

16	Commercial Bid Format		Bidder request LIC to share brief on the commercial bid format as we are unable to punch figures in some of the filed which are required for commercial bid quotation	Please refer to the revised commercial format . Some of the cells which were protected earlier have been unprotected
17	Page no. - 7 Section-B: ELIGIBILITYCRITERIA 1. Minimum Eligibility Criteria (MEC)	3 Bidder must have supplied, integrated and supported at least three clients globally/India for Board Room Audio Video Solution which should contain delivery and installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness . Out of these, at least two orders should be of values greater than INR 1.5 crores for Board Room AV Solution including installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness.	Sir,(i) As we do only government projects for their conference room/Meeting room/seminar hall etc. they don't use boardroom word in their tender but product is same what you are asking. So request you to incorporate Boardroom/conference room/meeting room/seminar hall for application so that we could also qualify in the tender. (ii) As per CVC notification no. 12-02-1-CTE-6, Dated - 17th Dec, 2002 for the Pre-Qualification criteria of the tender, they have notified that experience criteria should be One similar work order of 80% of the total contract value, Two similar work order of 50% of the total contract value and three similar work order of 40% of the total contract value. Mentioning restrictive condition in the tender documents is not allowed as per that notification. So request you to kindly do the needful and amend the same as requested.	Please be guided by the RFP

Response to Pre-Bid Queries- RFP for Procurement, Commissioning & Management of Board Room AV solution [Ref: LIC-CO/IT-BPR/NW/RFP/2021-22/03 Dated: 21/10/2021]

18	Page no. - 7 Section-B: ELIGIBILITYCRITERIA 1. Minimum Eligibility Criteria (MEC)	4 The bidder should have at least one CTS certified engineer on its rolls who will be earmarked for implementation of the project. The certification should be valid at least up to one year from the date of bid submission.	As per government of India , DPIIT notification for Make in India notification no. P-45021/2/2017-P (BE-II) Dated 16 Sep, 2020, Specifying foreign certification in the tender is restrictive and discriminatory practice against local supplier. So request you to kindly delete this clause.	Please be guided by the RFP
19	Page no. - 8 Section-B: ELIGIBILITYCRITERIA 1. Minimum Eligibility Criteria (MEC)	9 The OEM should have office and service center in India for more than five years.	Sir, There are some other reputed OEMs which are not based in India but we have supplied their products in many government organisations and giving services to them for some product mentioned in the tender. There are many OEMs which is not registered in India but they provide good support on their products. So request you to kindly delete this clause so that we can provide their product and services to you.	Please be guided by the RFP
20	Page no. - 10 Section-C : INSTRUCTIONS TO BIDDERS 9. Earnest Money Deposit:	The bidder should submit to LIC a total of Rs.2,50,000/- (Rupees Two Lakhs Fifty Thousand only) as EMD along with the Technical-Bid document. The amount of Rs.2,50,000/- (Rupees Two Lakhs Fifty Thousand only) should be submitted in form of a Bank Guarantee (as per Annexure-VI) valid for one year from the last date of submission of this tender.	You are requested to kindly allow for EMD submission in the form of FDR also.	Please be guided by the RFP
21	Page no. - 16 SECTION-D: TERMS AND CONDITIONS B. Other / General Terms and Conditions:	3) Performance Bank Guarantee (PBG): The selected vendor is required to submit a Performance Bank Guarantee (PBG) to LIC in form of a Bank Guarantee equal to 3% of the total Contract Value. Format for submitting the Bank Guarantee is attached herewith as Annexure-XII. No interest shall be payable on the PBG amount.	You are requested to kindly allow for PBG submission in the form of FDR also.	Please be guided by the RFP

22	page no. 221.4. Basic Installation of the AV Solution	Dismounting and de-commissioning of the complete existing setup (includes plasma, codec, microphones cameras etc.), wherever required.	You are requested to kindly provide complete location details along with bill of material.	Please refer to the buyback section under the revised commercial format for the bill of material . The location details will be shared with the winning bidder .
23	Page no. - 23 Section-E: SCOPE OF WORK 1.5. Deploying, Management, Reporting and Fine Tuning of the Video Conferencing Solution Components.	If the equipment is not under warranty, a functional standby has to be provided as per the SLA conditions. Any functional standby has to be of an equivalent or higher configuration failing which penalties as per SLA would be applicable.	After ending the warranty, how any firm can provide standby product for the services. You have to take AMC for that period for providing standby product support.	Please be guided by the RFP
24	Page no. - 24 Section-E: SCOPE OF WORK 1.7. Training	The bidder and OEM are required to provide ad-hoc trainings to the LIC staff as required by LIC, to acquaint them with the functionalities of the solutions and the latest features for minimum of one day. LIC has the right to exercise this training option at its discretion.	As bidder participate in any tender and provide OEMs product, so all the training and support only is provided by bidder. So request you to kindly make it bidder/OEM are required to provide ad-hoc training.	The clause is modified as "The bidder/OEM are required to provide ad-hoc trainings to the LIC staff as required by LIC, to acquaint them with the functionalities of the solutions and the latest features for minimum of one day

				. LIC has the right to exercise this training option at its discretion."
25	Page no. - 25 Section-E: SCOPE OF WORK 1.8 Acceptance by LIC	Right to Audit i. It is agreed by and between the parties that the Service Provider shall get itself annually audited by external empaneled Auditors appointed by LIC/ inspecting official from the IRDAI or any regulatory authority, covering the risk parameters finalized by LIC/ such auditors in the areas of products (IT hardware/ software) and services etc. provided to LIC and the vendor shall submit such certification by such Auditors to LIC. The vendor and or his / their outsourced agents /sub – contractors (if allowed by LIC) shall facilitate the same. LIC can make its expert assessment on the efficiency and effectiveness of the security, control, risk management, governance system and process created by the Service Provider. The Service Provider shall, whenever required by such Auditors, furnish all relevant information, records/data to them. All costs for such audit shall be borne by LIC.	Sir, you are requested to kindly explain the Risk Parameter.	Please be guided by the RFP
26	Page no. - 29 Section-F: Payment Terms G. Warranties:	Maintenance during Warranty Period: In case of shifting of any appliance supplied by the vendor at any location of LIC, wherever the appliance has to be shifted from one LIC location to another, the vendor is required to uninstall / reinstall and maintain the system/s at the new location, without any extra cost to LIC of India on account of reinstallation. LIC will pay transportation charges, LBT, Octroi, Entry tax, GST or any other government taxes.	you are requested to kindly pay for installation charges also at actual.	Please be guided by the RFP

27	Technical Specification of LED Display System	A4: LED Bonding Wire- Gold, Brightness - 600 nits, Contrast ratio: 10000:1, OEM Certification: CE, FCC, LED Output: 20 ethernet or more, Temperature range : 0 to 50 degree	As per required brightness, Gold wire not required. Gold wire is used only for higher brightness above 1000 nits, so kindly change accordingly. Contrast ratio seems specific to OEM, Kindly make it 5000:1 or better to qualify more OEM. CE, FCC is not required for Make in India product, only BIS certificate will be applicable under Make in India. LED Output Ethernet port is specific to OEM, it should be as per OEM Standards but should operate the LED Video Wall. As it is used in indoor application and air conditions environment so mentioning 50 degree is not ok as per application. To qualify all other OEMs, Kindly make it 0 to 40 degree.	Please be guided by the RFP
28	Certification	CE, FCC for Two input multiformat wall plate twisted pair transmitter type I, type II, Twisted pair 4k transmitter, Twisterd pair 4k receiver, 16 x 8 matrix switcher with audio de-embedding, Multi windows processor, Streaming and recording processor, AV Control Processor, Four Channel Amplifer, Full range ceiling speaker, Twisted pair extender for USB 3.2	Request you to delete the certification CE, UL, c-UL for Make in India product. As it is not required in the tender documents. So that Indian Manufacturer can also qualify.	Please be guided by the RFP

29	Activity Schedule	EMD-250000	Our Organisation come under MSME, so we request for EMD exemption	EMD exemption will be given for Micro and Small Enterprises as defined in MSE Procurement Policy issued by the Department of MSME or are registered with the Central Purchase Organisation or the concerned Ministry or Department. Bidders should submit relevant MSME/NSIC certificate in the envelope as mentioned at 10 (I) in the RFP document .
30	Pre Qualification	OEM should have office and service centre in India for more than 5 years	We request you to add that OEM should have Local office in the city of the project along with that they should share their Incorporation Certificates that proves they have presence in India. Also Bidder can submit MAF only for one OEM for each product	Please be guided by the RFP
31	Technical Specs	Active LED tech specs	Cabinet Aspect Ratio – 16:9(Technical Specs)	Please refer to the revised technical specifications

Response to Pre-Bid Queries- RFP for Procurement, Commissioning & Management of Board Room AV solution [Ref: LIC-CO/IT-BPR/NW/RFP/2021-22/03 Dated: 21/10/2021]

32	Technical Specs	Active LED tech specs	We request you to add that LED & Controller should be from Same OEM(Make, Model, BIS Certificate, Brochures & Software screenshots to program the controller required	Please refer to the revised technical specifications
33	Instruction to Bidders		all the equipments i.e. Active and Passive Wall plates, Switcher, Controller, Multimedia Processor and Streaming Recorder Devices shall be of same OEM.	Please refer to the revised technical specifications
34	Technical Specs		Touch Panel of VC system should be able to work with Control System to control the third Party AV products	Please refer to the revised technical specifications
35	Deilivery Timelines		we request for 9weeks of Product delivery and 2 weeks for Installations(Delay is experiened because of shortage of Chip and Semi-conductors)	Please refer to the revised "TIME SCHEDULE FOR DELIVERY AND INSTALLATION "and the revised SLAs

36	Technical Specs	Speakers	We request to change the qty of speakers from 8 to 12. To achieve better Voice Lift from Tile mic and keeping the LIC Boardroom size in mind. We also need to change certain Tech specs of Speaker which are as follows " Effective frequency range 65 Hz to 20 kHz Rated noise power / voltage 30 watts / 15.5 volts (rms) Broad-band sensitivity 89 dB SPL Coverage angle (-6 dB) 110° (500 Hz to 5 kHz) Maximum continuous SPL 104 dB Maximum peak SPL 110 dB Rated impedance 8 ohms Transformer taps: 70 V: 30, 15, 7.5, 3.7, 1.9 watts and 8-ohm bypass 100V: 30, 15, 7.5, 3.8, watts and 8-ohm bypass HF Transducer .86-inch silk dome tweeter, coaxially mounted LF Transducer 6.5-inch Polypropylene cone with butyl rubber surround"	Please refer to the revised technical specifications
37	BOQ		Since all the Products are with 5 years warranty from Oem, So In BOQ why it is mentioned Cost for Seprate years	Separate years is mentioned only for onsite supoort
38	P3-VC Codec - Content Standards and Resolutions	It should support wireless content sharing using Airplay and Miracast either native or through 3rd party devices. Wireless Content Sharing for Guests should be available using their Smartphones and Tablets (Android and iOS)	Ammendment to be made as - It should Support wireless content sharing using Airplay OR Airplay OR OEM provided app either native or through 3rd party devices. Wireless Content sharing for Guests should	Please refer to the revised technical specifications

			be available using their smartphones and Tablets(Android and iOS)	
39	P4-VC Codec - Audio Standards and Features	It should support G.711, G.729A, G.722, G.722.1, G.719, AAC-LD or better	Please do remove G.719 and it is not supported on our devices.	Please refer to the revised technical specifications
40	P5-VC Codec - Video and Audio Inputs	3 x Microphone Inputs or more with support for minimum 3 mics. The bidder needs to quote 2 microphone with 360 degree coverage from day one with mute/unmute soft touch button on the microphone.	For the size of board room at least 4 microphones inputs would be needed. Request you to please increase the ports to at least 4.	Please refer to the revised technical specifications . However , We are asking for ceiling tile type microphones for voicelifting and video conferencing facility .
41	P9-VC Codec -USB Device Mode	2) AEC reference output to ensure echo-free conferencing for far-end participants	This is not needed since the cloud conferencing software does this. Having dual AEC is never recommended.	We are asking for USB device mode to use external camera and microphones when connected to a laptop/PC to join cloud based video calls .AEC reference output is used to ensure echo free conferencing for far end participants
42	P9-VC Codec -USB Device Mode	3) HDCP-compliant HDMI input and loop-through, without degrading the camera resolution.	Please remove since converters do not provide this feature	Please refer to the revised technical

Response to Pre-Bid Queries- RFP for Procurement, Commissioning & Management of Board Room AV solution [Ref: LIC-CO/IT-BPR/NW/RFP/2021-22/03 Dated: 21/10/2021]

				specifications
43	P9-VC Codec -USB Device Mode	4) All the components should have back to back OEM service for 5 years, with spares and replacement. Bidders needs to submit letter from OEM, confirming the same.	Since this is an accesory and a small value item, OEM do not provide susch letter. Request that this be made optional	Please be guided by the RFP
44	P10-VC Codec - Security	Media Encryption (H.323, SIP): AES 128 OR AES 256, H.235.6 support	For better clarity request for ammendment as Media Encryption (H.323,SIP);AES 128 or 256, H.235.6 or H.235v3	Please refer to the revsed technical specifications
45	P14-VC Codec - General	The codec should support 4 Video camera to the embedded interface,the bidder needs to quote 1 PTZ camera from day 1 .	Please do specify HDMI ports so that interoperability is ensured.	Please be guided by the RFP
46	P14-VC Codec - General	4) All the components should have back to back OEM service for 5 years, with spares and replacement. Bidders needs to submit letter from OEM, confirming the same.	5 years or 3 years ?	Please refer to the revised technical specifications
47	P14-VC Codec - General	All the components should have back to back OEM warranty for 3 years. Bidders needs to submit letter from OEM, confirming the same.	5 years or 3 years ?	Please refer to the revised technical specifications
48	Q1- Camera, Microphone and DSP - Camera	Full HD 1080p, minimum 20X Optical Zoom, min 100 Presets, 60 Frames per Second, Ethernet Out, HDMI Out, 3G-SDI Out, Audio In, RS232/422 Controls, -170° ~ +170° Panning angle, -30° ~ +90° Tilting angle , Should support PoE for capturing presenter and students.	Amendment requested - Full HD 1080p, minimum 20x optical zoom, min 35 Presets, 60 frames per second, ethernet out, HDMI Out, 3G-SDI Out, Audio In, RS232/422 controls provided by Codec , -100 to plus 100 panning angle, -20 to +20 Tilting angle, should support PoE for capturing presenter and students	Please be guided by the RFP
49			As per RFP, the existing setup dismantling is vender scope so kindly share the existing equipment and solution details.	Please refer to the buyback section under the revised commercial format for the bill of material .

Response to Pre-Bid Queries- RFP for Procurement, Commissioning & Management of Board Room AV solution [Ref: LIC-CO/IT-BPR/NW/RFP/2021-22/03 Dated: 21/10/2021]

50			Kindly share the new setup concept schematics and layout drawings for understanding the concept, connectivity, and cables length.	The details will be shared with the winning bidder
51			As per RFP, 18 Numbers of Receivers has been considered in BOQ So Kindly advise us.	Please be guided by the RFP
52			As per RFP, In BOQ line item 3 mentioned Fabrication so we required for the detail of the same. Kindly share the details.	Please be guided by the RFP
53			Request to kindly provide the permission for the site visit.	The permission will be arranged for the winning bidder
54	B1	Wall plate type for HDMI and USB 3.2	What is going to get connected at USB 3.2 Port	USB Controls of Laptop/Dekstop
55	B5	VGA connectors: USB-A 3.2 female to USB-B female on 10" pigtail	What exactly port you are expecting; is it VGA or USB Port?	Please refer to the revised technical specifications
56			Output Port/Connection not mentioned here. (Will it be HDBaseT or HDMI)	For Active wall plates output will be HDBaseT and for passive wall plates output will be HDMI
57	C2	1x HDMI, 1x DP with audio on 3.5 mm jack		
58			Switching, Control, streaming & Recording System from Same OEM so that integration would be seamless.	Please refer to the revised technical specifications "General" for all componenets required from the same OEM

Response to Pre-Bid Queries- RFP for Procurement, Commissioning & Management of Board Room AV solution [Ref: LIC-CO/IT-BPR/NW/RFP/2021-22/03 Dated: 21/10/2021]

59			VC Touch interface Interface should communicate with 3rd party control system for Room AV control.	Please refer to the revised technical specifications
60	A2	1.25mm or better (Lower is considered better)	Please change it to 1.26 or Less. 1.25 is only available with some specific OEMs.	Please be guided by the RFP
61	A6	6,40,000 Pix / Sq-Mtr or Better	Please change it to 629,882 m2 or better and it directly depends on the pixel Pitch	Please be guided by the RFP
62	A9	0 to +50 Degrees C or better	Please change it to 0-40. as these are indoor LEDs and are designed to be used in AC environments.	Please be guided by the RFP
63	A15	650 w/sqm or lower	Please change it to 750W/sqm. The LED never works on Max power. Max poer is only used to design the backend power infra and have no affect on quality	Please be guided by the RFP
64	A19	10,000:1 or better	Please change it to 8000:1 and also mention Native Contrast ratio. We work on Native contrast ration where as there are many other OEMs work on Dynamic contrast Ratio which is very different.	Please be guided by the RFP
65	A21	IP30 or Better	Please change it to IP20 or better Being Indoor Dust resistant will suffice.	Please be guided by the RFP
66	A22	Floor Mounted with the screen starting from 700mm from Ground Level	By SI	Please be guided by the RFP
67	A25	20 x Ethernet or More	Out put of a LED controller depends on howmuch resolution can be carried. With Samsung we can achieve 4k in 4 Outputs so it is completely OEM Specific.	Please refer to the revised technical specification for resolution
68	A26	4 x HDMI	Pleasechange it to 2 or more.	Please be guided by the RFP
69	A27	2 x USB	Please change it to 1 USB or More.	Please be guided by the RFP

Response to Pre-Bid Queries- RFP for Procurement, Commissioning & Management of Board Room AV solution [Ref: LIC-CO/IT-BPR/NW/RFP/2021-22/03 Dated: 21/10/2021]

70	A28	0 ~60	Please change it to 0-40. as these are indoor LEDs and are designed to be used in AC environments.	This temperature is for the video wall controller
71		Full HD 1080p, minimum 20X Optical Zoom, min 100 Presets, 60 Frames per Second, Ethernet Out, HDMI Out, 3G-SDI Out, Audio In, RS232/422 Controls, -170° ~ +170° Panning angle, -30° ~ +90° Tilting angle , Should support PoE for capturing presenter and students.	3G SDI not required for Board Room Application	Please refer to the revised technical specifications
72		Ceiling microphone with patented beamforming technology ,Optimize your digital workflows with software. The microphone can be easily controlled and monitored from anywhere in the corporate network. For 100% connectivity - Connect the microphone via analogue or digital DANTE™ audio outputs to any conference system. Power-over-Ethernet (PoE) makes integration of the ceiling microphone very easy. An open media control protocol (API) allows you to make individual adjustments. With 28 pre-polarized condenser capsule.1 x 3-pin terminals (Phoenix contact MCVW 1.5-3-ST-3.81); 2 x Digital Dante Network Audio (RJ45) with in-built voicelift feature with Bracket	For Board Room, DANTE is not required. As all Microphone will communicate with native DSP to achieve seamless functionality.	Please be guided by the RFP
73		Full rack 19" 1RU processor mainframe with sixteen user-configured card. Selectable 48 & 96kHz sampling rates. Integrated license-activated AEC. Dual core processing 40-bit floating DSP .Front panel OLED display with jog wheel. Rear panel includes an Ethernet module with RJ45 connector and internal power supply connection with built-in MOD-Dante-ETH module already pre-installed into the Dante mainframe to provide 64x64 I/O channels of Dante network audio. Dual RJ45 Dante and single RJ45 Ethernet connectors.10ch Mic/Line input with selectable mic, line, mic gain, and phantom power per input. 32-bit analog to digital converters.10ch Line output. 32-bit digital to analog converters.2ch input + 2ch output USB audio card. .Software license activated AEC. 8ch of AEC @ 250ms delay / 16ch @ 100ms.	No front OLED Display; Montior & Diagnosis can be done via web interface	Please be guided by the RFP

74	Page 21, Clause 1.1	The complete AV solution, implementation, integration of various components, integration with the LICs existing video bridge and cloud platforms , testing, training & certification, supporting the AV solution etc	All details of Existing Setup required.	Please refer to the buyback section under the revised commercial format.
75	Page 30 Clause G.3	Delivery, Installation, commissioning and implementation: 8 Weeks	please change it to the 12-18 weeks	Please refer to the revised "TIME SCHEDULE FOR DELIVERY AND INSTALLATION "and the revised SLAs
76	Page35 Clause C.4	The bidder should have at least one CTS certified engineer on its rolls who will be earmarked for implementation of the project	Please change it to the:- The bidder/OEM should have at least one CTS certified engineer. OEM's Certificates for respective products.	Please be guided by the RFP

Date - 29.10.2021

Chief (IT/BPR)