

S.No	RFP Document Reference(s) (Section & Page Number)	Clause (in brief) of RFP requiring clarification(s)	Brief details/ Query in reference to the clause	Response
1	RFP / Tender Doc.; Pg.No.10 Pt.No.9	Earnest Money Deposit of Rs.2,50,000/- should be submitted in form of a Bank Guarantee.	Please accept EMD in form of DD as well in favour of LIC Of India.	Earnest Money Deposit of Rs.2,50,000/- should be submitted in form of a Bank Guarantee or in the form of a Demand Draft drawn on Nationalized/ Scheduled Bank in favour of LIC of India" payable at Mumbai . Please refer to the revised Annexure-II. All references in the RFP mentioning EMD in the form of BG is revised as EMD in the form of BG/DD. Please refer to revised RFP points with respect to EMD(REVRFPEMD.doc).
2	Technical Spec Doc.; E 8	HDCP 2.3 Compliant or better	Why we require HDCP-2.3 in HDBT Transmitter? Is there any specific reason kindly explain the same?	Please refer to the revised technical specifications.
3	Technical Spec Doc.; F 8	HDCP 2.3 Compliant or better	Why we require HDCP-2.3 in HDBT Receiver? Is there any specific reason kindly explain the same?	Please refer to the revised technical specifications.
4	Technical Spec Doc.; H 7	Support 2xInput rotation by 90 degrees	Why we require 90 degree rotation in Input side of the MultiViewer?	Clause Deleted. Please refer to the revised technical specifications

5	Technical Spec Doc.; H 8	Support output signal rotation by 90 degrees	Why we require 90 degree rotation in output side of the MultiViewer?	Clause Deleted. Please refer to the revised technical specifications
6	Technical Spec Doc.; H 11	32 Logos, upto 4096x2160	Is there any specific reason where do you require 32 logos to be used? And what type of logo do you require?	Please refer to the revised technical specifications.
7	Technical Spec Doc.; H	-	The technical specifications, which you have given, is one OEM specific so others could not comply fully.	Please refer to the revised technical specifications.
8	Technical Spec Doc.	-	What are the devices in the BOQ which are HDCP-2.3 ?	Please refer to the technical specification sheets.
9	Commercial Format	Sheet 1 (Buy-back)	How old are this AV equipment . Date of Purchase by LIC	2012
10	Commercial Format	Part-A (Item 30)	Bidder request LIC to share brief on the commercial bid format as we are unable to punch figures in Item 30 (Onsite Support) of Commerical Bid as it is password protected	The details have been discussed in the pre-bid meeting.
11	Commercial Format	Part-A	The bidder need to understand the calculation of Grand Indicative Cost (NPV) as the values are not mataching compared to "Total (Rs) and PV (RS)" --- Kindly advise	It excludes the buy-back amount and computes the NPV for the onsite support

12	Pre-Qualification Section B Eligibility Criteria	Bidder must have supplied, integrated and supported at least three clients globally/India for Board Room Audio Video Solution which should contain delivery and installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness . Out of these, at least two orders should be of values greater than INR 1 crores for Board Room AV Solution including installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness.	We request you to make Out of the 2 orders of 1 cr at least 1 order should be for Board Room AV Solution including installation of active LED components with diagonal size of 130 inches or more with minimum 500 nits brightness.	Please refer to the revised eligibility criteria.
13	Technical Specs - H	MultiWindow Processor		
		Description	Video Processor to combine 2 video inputs	Please refer to the revised technical specifications.
		Input	2x HDMI 2.0 or more	Please refer to the revised technical specifications.
		Output	2x HDMI 2.0 or more	Please refer to the revised technical specifications.
		Automatic Format Correction	Automatically reformat HDMI source signal for DVI sink device	Please be guided by the RFP and the revised technical specifications
		Picture-By-Picture	Support positioning side by side to form a 4K image	Please be guided by the RFP and the revised technical specifications
		Front panel buttons	Support lockable front panel buttons for switching control for audio and video	Please refer to the revised technical specifications.
		HDCP compliance	HDCP 2.3 or better	Please refer to the revised technical specifications.

		HDCP Authentication	Authenticate and maintain HDCP encryption for simultaneous distribution of single source to multiple displays through speedy and reliable switching	Please refer to the revised technical specifications .
		Standby	Power saving through low power consuming standby mode	Please refer to the revised technical specifications.
		Logo	Store 16 Logos, upto 4096x2160	Please refer to the revised technical specifications.
		Logo format	BMP, JPG, PNG formats	Please refer to the revised technical specifications.
		Logo Effects	Transparency, level key, alpha key	Please refer to the revised technical specifications.
		Processing	De interlacing of all interlaced signals up to 1080i	Please refer to the revised technical specifications.

Date – 26.11.2021

Chief (IT/BPR)