

Corrigendum - 4

Ref: CO/IT-SD/RFP-Corr4

07th Aug 2018.

RFP LIC/CO/IT-SD/2018-19/ADC/01 dated 20th June 2018

Request for Proposal For Supply, Installation, Integration, Commissioning and Onsite Maintenance of Application Delivery Controller Reference: LIC/CO/IT-SD/2018-19/ADC/01 dated 20th June 2018.

SI	Item for Corrigendum -4
1	RFP Clause 18 (page 18 of 67) : Revised Commercial Bid (if applicable)- Clarification on Normalization of Bid: LIC, at its discretion, will go through a process of technical evaluation and normalization of the bids to the extent possible and feasible, to ensure that Bidders are more or less on the same technical ground, appliance specifications, feature and capabilities. LIC will refer to the product specification sheets, licenses offered, analyst reports and recommendations, SI/OEM's inputs/presentation for the conduct of normalisation of bid process. After the normalization process, if LIC's technical evaluation team feels that any or all of the bids needs to be normalized and that such normalization has a bearing on the price bids, LIC may at its discretion ask any or all the technically short-listed Bidders, meeting the minimum level of eligibility and technical score to resubmit incrementally or totally the technical and indicative commercial bids once again for scrutiny. LIC can repeat this normalization process at every stage of technical submission or till LIC is satisfied. LIC in the process of normalisation may seek the eligible bidders to revise the appliance technical specifications, features, capabilities, and licenses which may result in revision in the appliance version/model/licenses to meet the revised technical requirements. By responding to this RFP, the Bidders have agreed that they have no reservation or objection to the normalization process and all the bidders shortlisted for technical proposal evaluation will agree to participate in the normalization process and extend their cooperation to LIC during this process. The bidders, by submitting the response to this RFP, agree to the process and conditions of the normalization process. The following bidders only will be eligible for the above process of Normalisation of Bid : (i) the bidder who meet the Minimum Eligibility Criteria (MEC) [Stage I Evaluation] and (ii) The bidder who meet the Minimum Technical Eligibility Criteria (MTEC) [Stage II Evaluation] (iii) Bidders who score marks greater than or equal to 70 will only qualify subject to the condition stated in the annexure XIII.
3	Last Date for Bid Submission: NO CHANGE Bid Submission: 7 th Aug 2018 latest by 3:30pm. Eligibility and Technical Bid opening date & time 7 th Aug, 2018 at 4:00 pm in presence of representatives of the bidders who choose to be present

Issued with approval of Executive Director (IT/SD).

Corrigendum-4 (RFP LIC/CO/IT-SD/2018-19/ADC/01 dated 20th June 2018)