Life Insurance Corporation of India Central Office, Mumbai



Response to pre-bid queries-1 dated 19 December 2023

Life Insurance Corporation of India – RFP/Tender for onboarding bidders to Implement Secure Media Disposal Solution, LIC-CO/IT-BPR/RFP/2023-2024/SMD dated 15th November 2023

This is with reference to the RFP released by the Life Insurance Corporation of India captioned above.

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
1	Section-C	3	21	LIC will be responsible to provide all the hardware required for Secure Media Disposal solution implementation, i.e. server/VMs and will provide RHEL OS and Database – MySQL, if required as part of the solution. All other software and hardware if any should be provided by bidder, included in BoQ and prices quoted for in the Commercial Bid Document.	solution, we would require additional s/w components as RHEL OS and MySQL may not be supported. Will it be provided by LIC if the components are enlisted in BoQ/BoM by the bidder? Or it needs to be procured by the	enterprise license, all other required/proposed hardware or software needs to be provided by the bidder and needs to be

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
2	Section-C	3	21	The bidder must supply a thorough inventory of the hardware components required for the planned implementation of the Secure Media Disposal solution. This bill of Quantity (BoQ) as per Annexure R should be itemized separately for all the environments, including DC, UAT and Disaster Recovery (DR). The BoM should include, but is not limited to, the following details: In Scope solutions Components Site/Environment Type (VM/Physical) OS/DB name other than RHEL and Mysql. CPU/vCPU VLAN requirement (VLAN or Internet) RAM Hard Disk Size Software pre-requisites (.NET framework, IIS, IE, any other OS services, etc.) If any missing requirements are discovered during installation, and the bidder will be obliged to provide them free of cost.	1. Is there a requirement to setup DC(prod) environment and UAT environment separately? Please confirm. 2. In which case, should the Bidder be providing s/w components free of cost? Please clarify. Is this clause related to the clause specified in row-2?	1. Yes, the required solution needs to have a separate DC, DR and UAT setups 2. The RFP clause highlighted in blue states that in case the bidder misses to cover any aspect at the time of bidding for this RFP and if any missing requirements are discovered during installation, then the bidder will be obliged to provide them free of cost. Request all the bidders to go through the RFP in detail and draft their responses/documents accordingly.
3	Section-E	1	49	As part of this RFP, LIC intends to implement the following solution at LIC: I. Secure Media Disposal	"Secure Media Disposal" relates to only software-based Data Erasure or it also includes media destruction techniques like Physical Destruction and Degaussing?	Please refer to modifications, clarifications, addendum etc.

#	RFP Section	Sub-section	Pg. No		RFP Clause	Bidder Query	LIC Response
4	Section-E	1	49	2 Designing	Architecture Diagram: Design the oreall implementation architecture Diagram for each inscorpe solution as per IRDAI requirements, industry best practices and other regulatory requirements. Connectivity and data flow diagram for each in-scope solution and the third-party tools which are required. Policy & Procedure Documents: SOP for solution implementation SOP for for solution implementation O SOP for folly operations of the solution & SOP for functional testing O testiled roles and responsibilities defined in RRCI matrix. Minimum Baselines Standard Document (MSS)/Secure Configuration Document (SCD) Acceptance procedures. Test cases & test plans etc. BE/POR/Railover/Backup/Recovery. Strategy and process document.	 What should the compatibility Assessment Report contain? What is a Data Verification plan? What should it outline? What is a Data Destruction plan? What should it outline? What must a High-level diagram and Low-level diagram contain? 	1. A Compatibility Assessment Report for Secure Media Disposal/Secure Data Erasure is a crucial document that provides an overview of the compatibility of your organization's systems, devices, and infrastructure with the chosen secure data erasure solution. 2. A Data Verification Plan in the context of Secure Media Disposal or Secure Data Erasure outlines the procedures and steps to confirm that data has been effectively and irreversibly erased from storage media. This plan is essential to ensure compliance with data protection regulations, prevent data breaches, and provide evidence of secure data disposal practices. 3. A Data Destruction Plan in the context of Secure Media Disposal/Secure Data Erasure outlines the systematic and secure process by which an organization permanently and safely removes sensitive or confidential information from storage media or devices. This plan is essential for maintaining data security, complying with data protection regulations, and ensuring responsible

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
						environmental practices. It should contain explanation of how the plan aligns with relevant data protection regulations and standards.
						4. A High-Level Diagram provides an overview of how the Secure Data Erasure/Secure Media Disposal solution integrates into the organization's network and architecture. It typically includes the following components: Network Infrastructure, Data Center or Server Room, Secure Data Erasure Solution, Integration Points, User Access Points, Verification and Reporting Systems, Compliance Points, etc. A Low-Level Diagram provides a more detailed view of the components and interactions within the Secure Data Erasure/Secure Media Disposal solution. It includes Server Configuration, Client Systems, Data Erasure Tools, User Interfaces, Integration Interfaces, etc.

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
5	Section-E	1	50	Supply and Installation: o Supply of software for in-scop solutions (DC, DR, UAT). The setu should be in HA mode for DC and DR. o Installation and implementation of the solutions as per the architecture design of sit should develop a required simulate program for doing the stress testing feech and every tool mentioned in the RFP. o Installation will include proper mounting, labeling, tagging of all the equipment and provide network an power connections and also functions and stress testing. o Perform data erasure and verification. Execute data destruction methods o Conduct a pilot test for validation. 1 Implementing Toniguration & Integration:	Stress testing isn't usually related to Data Erasure solution. Could you elaborate the requirement here?	Yes, stress testing is not typically associated with data erasure solutions in the same way it might be for performance-intensive applications or systems. However, in the context of implementing a data erasure solution certain consideration and testing practices are still relevant. While it may not be stress testing in the traditional sense, here are some aspects to consider: 1. Performance under Load: Evaluate how well the data erasure solution performs when handling a high volume of simultaneous erasure requests. Check whether the solution maintains efficiency and response times during peak usage. 2. Scalability: Assess the scalability of the solution to handle a growing number of devices or endpoints that need simultaneous data erasure. Ensure that the solution can scale horizontally or vertically to accommodate an expanding infrastructure. 3. Resource Utilization: Monitor resource utilization during data erasure processes, such as CPU, memory, and storage usage. Ensure that resource

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
			. 3			consumption remains within acceptable limits, especially during bulk erasure operations. 4. Network Impact: Evaluate the impact of data erasure activities on the organization's network. Check for potential bottlenecks or issues related to network bandwidth during large-scale erasure processes.
						5. Concurrency Testing: Test the solution's ability to handle multiple concurrent erasure processes. Ensure that simultaneous erasures do not compromise the effectiveness or reliability of the data erasure.
						6. Error Handling and Recovery: Introduce scenarios where errors occur during data erasure processes (e.g., connectivity issues, device malfunctions). Evaluate the solution's errorhandling mechanisms and its ability to recover gracefully. 7. Integration Points: Test the integration points with other systems (e.g., endpoint
						management, auditing tools). Verify that data erasure events are accurately logged, and relevant information is communicated to integrated systems.

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
						8. Long-Term Erasure Stability: Assess the stability of data erasure over time, especially for devices that may be subject to prolonged erasure processes. Verify that the solution remains reliable during extended erasure durations.
						9. Verification Accuracy: Validate the accuracy and reliability of the verification process after data erasure. Ensure that the solution consistently confirms the successful and complete erasure of data.
						10. Adverse Conditions: Introduce adverse conditions, such as sudden power loss or interruptions, during the data erasure process. Evaluate how well the solution handles and recovers from unexpected events.
						While stress testing might not be the primary focus, these considerations help ensure that the data erasure solution is robust, reliable, and capable of handling real-world scenarios within the organization's environment.

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
6	Section-E	1	51 & 52	Compliance with 15 Security Policy: The successful bidder shall have to comply with LICs IT & 15 Security policy in key concern are relevant to the RFD, deals to shift will be shared with the finally selected Bidder. Some of the kinesa are as under Reprombbliles for data and application privacy and confidentiality. Reprombbliles for data and application privacy and confidentiality. Custodial reportabilities for data and application privacy and confidentiality. Custodial reportabilities for data schware, hardware and other assets of LIC being manage by or assigned to the Vendor Physical Security of the facilities Physical Security of the facilities Physical and logical separation from other customers of the Vendor Incident response and reporting procedures Password Policy Access management Policy Access management Policy Access management Policy Accessible usage Policy (Authentication and Identity Management, Authorization and accessions) Libe Insurance Corporation of India - REPOTEMENT 2023 They 81 of 1 Libe Insurance Corporation of India - REPOTEMENT 2023 Data Encryption / Protection requirements of LIC Options Security Policy Auditing Outside Composition of India - REPOTEMENT 2023 Data Encryption / Protection requirements of LIC Options Security Policy Auditing Outside Composition of India - REPOTEMENT 2023 Reponsibilities in carriery out background verification of personnel deployed from wend side regularly and submit the report as and when needed by LIC	When implementing Data Erasure solution, we might have to disable some policy related settings, disk encryption service on the endpoint (if required), etc. In that case, will the suggested changes be accepted by LIC?	All the required changes must be routed through a designated and approved change management process / procedure.
7	Section-E	2 (1)	56	All the solutions should be seamlessly integrated with the LIC's NTP solution and must be compatible with any provided NTP version.	Does NTP stands for Network Time Protocol? In which case, what is the need to integrate NTP with Data erasure solution? Please elaborate Integration with NTP is generally not required.	Yes, the proposed secure media disposal solution should be seamlessly integrated with the LIC's NTP solution and must be compatible with any provided NTP version. This synchronization is essential for compliance with data protection regulations, as it facilitates reliable logging and auditing of data erasure events. Accurate timestamps aid in troubleshooting, event sequencing, and correlation of activities, enhancing overall visibility into the data erasure process. Furthermore, synchronized time is vital for secure communication protocols and the coordinated execution of scheduled erasure tasks, preventing disruptions and

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
						supporting efficient root cause analysis in case of issues.
8	Section-E	3	59	3. Sizing Requirements SN Solution Proposed Sizing 1 Secure Media Disposal 1 Secure Media Disposal The above count includes Workstations, Endpoints, Virtual machin Backup system, Storage devices, etc.	Could you re-confirm if the split between Linux and windows is 70% and 30% respectively?	The understanding is correct.
9	Section-H	Annexure-F	89	31>> It should provide options for generating disposal reports in various formats for compliance documentation. Formats are as follows but not limited to – PDF, XML, CSV, HTML, JSON, formats must be supported	JSON format is currently supported only on our Cloud-based management platform. This RFP requires an on-premise deployment. Is LIC willing to deploy on-Cloud?	Please adhere to the RFP clause
10	Section-H	Annexure-F	90	41>> The tool should have ESG Dashboard to determine carbon savings to support LIC's ESG initiatives	ESG dashboard is currently supported only on our Cloud-based management platform. This RFP requires an on-premise deployment. Is LIC willing to deploy on-Cloud?	Please adhere to the RFP clause
11	6- EligibilityCrit eria	4	14	The Bidder should have minimum of 3 years of experience in supplying, implementing, and supporting inscope solution related to this RFP to organisations in PSU / Government / Private / BFSI Sector Firms with more than 500 branches in India or Globally	Trequest you to amend the this clause as the Bidder / OEM should have minimum of 3 years of experience in supplying, implementing, and supporting inscope solution related to this RFP to organisations in PSU / Government / Private / BFSI Sector Firms with more than 500 branches in India or Globally	Please refer to modifications, clarifications, addendum etc.
12	6- EligibilityCrit eria	5	14	Bidders and the proposed OEM should have support center in India with availability of 24x7 onsite, telephonic, and remote support.	Request you to amend as Bidders or OEM should have support center in India with availability of 24x7 onsite, telephonic, and remote support.	Please adhere to the RFP clause
13	6- EligibilityCrit eria	6	14	The bidder must have supplied, installed, implemented, and managed the Secure Media Disposal solution for a minimum	Request you to amend as - The bidder / OEM must have supplied, installed, implemented, and managed the Secure Media	Please refer to modifications, clarifications, addendum etc.

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
				of 10000 endpoints in PSU/Government/Private/BFSI Sector in India or Globally	Disposal solution for a minimum of 10000 endpoints in PSU/Government/Private/BFSI Sector in India or Globally	
14	6- EligibilityCrit eria	7	14	The bidder must have a minimum of 10 IT Security permanent professionals with experience of in-scope solutions on their payroll with certifications such as CISSP/ OSCP/ISO 27001 LA/LI/ NCSP/ CISA/ OEM Level Certification.	We understand that this clause may not be relevant to RFP scope. Therefore, we request you to remove this clause from pre-qualification.	Please refer to modifications, clarifications, addendum etc.
15	Annexure - D	2	85	The bidder should have relevant implementation and operational experience for in scope tools in PSU/Government/Private/BFSI Sector Firms with more than 500 branches across different locations in India or Globally from the date of issuance of RFP	request you to amend as The bidder / OEM should have relevant implementation and operational experience for in scope tools in PSU/Government/Private/BFSI Sector Firms with more than 500 branches across different locations in India or Globally from the date of issuance of RFP.	Please refer to modifications, clarifications, addendum etc.
16	Annexure - D	3	85	The Bidder during the last 3 years preceding to the date of this RFP, should have experience in supplying, implementing, and supporting inscope solutions related to this RFP to organisations in PSU/Government/Private Sector Firms in India or Globally	Request you to amend as The Bidder / OEM during the last 3 years preceding to the date of this RFP, should have experience in supplying, implementing, and supporting inscope solutions related to this RFP to organisations in PSU/Government/Private Sector Firms in India or Globally	Please refer to modifications, clarifications, addendum etc.
17	Annexure - D	4	85	The bidder must have IT Security permanent professionals with experience in-scope solutions on their payroll with certifications such as CISSP/ OSCP/ISO	We understand that this clause may not be relevant to RFP scope. Therefore, we request you to remove this clause from pre-qualification.	Please refer to modifications, clarifications, addendum etc.

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
				27001 LA/LI/CISA/NCSP / Professional OEM Level Certification		
18	Section-H	Annexure-F	91	On-site support of L1/L2 personnel	Is this requried as LIC will be doing bulk disposal in regular intervals of time? A personnel present in LIC office everyday will not be needed.	Please refer to modifications, clarifications, addendum etc.
19	Section E	2 (II)	57	The solution/tool should offer centralized management to control and execute the media disposal process across endpoints, servers, workstations, virtual machines, network devices, storage, and other IT assets. The IT assets can be of any flavor such as Windows, Linux, ,macOS, etc	The given scope does not include erasure of mobile devices as well as files & folders. Would LIC like to include mobile eraser and file/folder eraser solutions as well?	Regarding erasure of Mobile Devices, please adhere to the RFP clause. Regarding, secure data erasure for file/folders, please refer Please refer to modifications, clarifications, addendum etc.
20	NA	Eligibility Criteria No.6	14	The bidder must have supplied, installed, implemented, and managed the Secure Media Disposal solution for a minimum of 10000 endpoints in PSU/Government/Private/BFSI Sector in India or Globally	Sir' we are requesting for changing in to The bidder/OEM must have supplied, installed, implemented, and managed the Secure Media Disposal solution for a minimum of 10000 endpoints in PSU / Government / Private / BFSI Sector in India or Globally	Please refer to modifications, clarifications, addendum etc.
21	NA	Eligibility Criteria No.7	14	The bidder must have a minimum of 10 IT Security permanent professionals with experience of in-scope solutions on their payroll with certifications such as CISSP/ OSCP/ISO 27001 LA/LI/ NCSP/ CISA/ OEM Level Certification.	Sir' we are requesting for changing in to The bidder/OEM must have a minimum of 10 IT Security permanent professionals with experience of in-scope solutions on their payroll with certifications such as CISSP/ OSCP/ISO 27001 LA/LI/ NCSP/ CISA/OEM Level Certification.	Please refer to modifications, clarifications, addendum etc.

Life Insurance Corporation of India – RFP/Tender for onboarding bidders to Implement Secure Media Disposal Solution – Response to pre-bid queries 1

#	RFP Section	Sub-section	Pg. No	RFP Clause	Bidder Query	LIC Response
					Or' Undertaking from HR/Authorized Signatory or' Director, certifying the same to fulfill the asked requirement	

Executive Director (IT/BPR)